


**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3862$   $y=0.3851$  /  $u'=0.2256$   $v'=0.5061$   
 CCT=3909K (Duv=0.0022) Dominant WL:Ld =578.3nm Purity=31.5%  
 Ratio:R=19.6% G=76.2% B=4.2% Peak WL:Lp=453.7nm FWHM=28.3nm  
 Render Index:Ra=92.0  
 R1 =92 R2 =95 R3 =97 R4 =90 R5 =90 R6 =92 R7 =94  
 R8 =85 R9 =64 R10=88 R11=90 R12=68 R13=93 R14=98 R15=89

**Photo Parameters:**

Flux = 3099 lm Eff. : 69.21 lm/W Fe = 10.69 W

**Electrical parameters:**

V = 229.91 V I = 0.2056 A P = 44.77 W PF = 0.9472


LEVEL:OUT WHITE:ANSI\_4000K

Status: Integral T = 10 ms Ip = 54973 (84%)

Model:66230  
 Tester:QC  
 Temperature:25.3Deg  
 Manufacturer:

Number:1  
 Date:2019-10-30 15:41  
 Humidity:65.0%  
 Remarks:

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3862$   $y=0.3853$   $u'=0.2255$   $v'=0.5061$   
 CCT=3910K (Duv=0.0023) Dominant WL:Ld =578.3nm Purity=31.5%  
 Ratio:R=19.6% G=76.2% B=4.1% Peak WL:Lp=453.7nm FWHM=28.3nm  
 Render Index:Ra=91.9  
 R1 =92 R2 =95 R3 =97 R4 =90 R5 =90 R6 =92 R7 =94  
 R8 =85 R9 =64 R10=88 R11=89 R12=68 R13=93 R14=98 R15=89

**Photo Parameters:**

Flux = 3130 lm Eff. : 68.41 lm/W Fe = 10.79 W

**Electrical parameters:**

V = 229.89 V I = 0.2096 A P = 45.75 W PF = 0.9497


LEVEL:OUT WHITE:ANSI\_4000K

Status: Integral T = 10 ms Ip = 55542 (85%)

Model:66230  
 Tester:QC  
 Temperature:25.3Deg  
 Manufacturer:

Number:2  
 Date:2019-10-30 15:43  
 Humidity:65.0%  
 Remarks:

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3870$   $y=0.3863$   $u'=0.2256$   $v'=0.5067$   
 CCT=3899K (Duv=0.0025) Dominant WL:Ld =578.2nm Purity=32.1%  
 Ratio:R=19.6% G=76.3% B=4.1% Peak WL:Lp=453.7nm FWHM=28.3nm  
 Render Index:Ra=91.8  
 R1 =91 R2 =95 R3 =97 R4 =90 R5 =90 R6 =92 R7 =94  
 R8 =85 R9 =63 R10=87 R11=89 R12=68 R13=93 R14=98 R15=89

**Photo Parameters:**

Flux = 3143 lm Eff. : 69.50 lm/W Fe = 10.82 W

**Electrical parameters:**

V = 230.01 V I = 0.2069 A P = 45.23 W PF = 0.9505

LEVEL:OUT WHITE:ANSI\_4000K

Status: Integral T = 10 ms Ip = 55800 (85%)

Model:66230  
 Tester:QC  
 Temperature:25.3Deg  
 Manufacturer:

Number:3  
 Date:2019-10-30 15:46  
 Humidity:65.0%  
 Remarks: