



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3766$ $y=0.3820$ $u'=0.2205$ $v'=0.5033$

Tc=4141K Dominant WL:Ld=576.6nm Purity=27.7% Centroid WL:566.0nm

Ratio:R=18.8% G=78.0% B=3.3% Peak WL:Lp=450.0nm HWL:24.2nm

Render Index:Ra=81.0

R1 =78 R2 =87 R3 =95 R4 =80 R5 =79 R6 =83 R7 =85

R8 =61 R9 =-5 R10=70 R11=79 R12=61 R13=80 R14=97 R15=71

Photo Parameters:

Flux: 6999.2 lm Fe: 20.846 W Efficacy:120.7 lm/W

LEVEL: WHITE:TN_4300

Electrical Parameters:

Luminaire: U=219.5V I=0.2740A P=58.00W PF=0.9640

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0]

REF=52335 (R=3)

%=0.311%

Ip=26827 (G=3,D=52)

PMT: 24.8 centigrade [150.0]

CXL160304

Product Type:PL3060NW
Number:DM-GI
Temperature:25.3 deg
Test Operator:WY
Software:V2.00.100

Manufacturer:台创照明
Test Department:160223
Humidity:65.0%
Test Date:2016-03-23 16:08:40
Instrument:PMS-80_V1 (SN:1008070)