




Ecofoss

phone +45 28 900 337
www.ecofoss.dk

LED 'SQUARE'



To Be Your Light Designer!

APPLICATION

LED LINE LIGHT: 7050

- Easy to Install because of modularization
- Seamless continual onnection
- 3 or 5 year warranty
- Flexible structure: Suspension, , Recessed, Surface Mounted
- Minimalist design for public area, satisfying your requirement for illumination and beauty.



School




Office




Home



Shop




FUNCTION



- Motion sensor
- Daylight Sensor
- 0-10V Dimming

100% light output: 10V
0% light output: 0V

0-10V & Sensor Dimming System



DALI Dimming System



Built-in Battery, 6W, 1800mAh

Built-in Battery, 12W, 3600mAh

Emergency Built-in Battery Supply


PARAMETER

Model NO.	Dimension	Power	Light Source	Color Temp.	Luminaire Efficiency	CRI	PF	Beam Angle	Luminous flux(lm)
64240	600*70*50mm	20 W	SMD2835	2800K	90 Lm/W	>80	>0.9	100°	1800 - 2000
64245	900*70*50mm	30 W							2700 - 3000
64250	1200*70*50mm	40 W		-	-				3600 - 4000
64255	1500*70*50mm	50 W		6500K	100 Lm/W				4500 - 5000
64260	1800*70*50mm	60 W		5400 - 6000					


Model NO.	Driver Output Voltage	IP Class	Working Temp.	Working Humidity	Material	Color	Warranty	Net Weight
64240	35Vdc MAX	IP33	-10 to 45 °C	10 to 90 RH%	Aluminum+PC	White / Black	3 or 5 years	2 kg
64245								2.5 kg
64250								3.2kg
64255								4 kg
64260								5.1kg

LED SOURCE


Typical optical characteristics curves




Radiation diagram





Forward Current VS. Relative Intensity



Ambient Temperature VS. Relative Intensity




PHOTOMETRIC TEST REPORT



64245 (30W, 1200mm)


DIMENSION



	2FT	3FT	4FT	5FT	6FT	W(mm)	H(mm)
L(mm)	600	900	1200	1500	1800	70	50


PACKAGE

Packing diagram of single piece



Length	Carton Dimension	N.W./CTN	G.W./CTN
2FT	62*72*52mm	2kg	2.8kg
3FT	92*72*52mm	2.5kg	3.6kg
4FT	122*72*52mm	3kg	4kg
5FT	152*72*52mm	4kg	5.2kg
6FT	182*72*52mm	5kg	6.4kg

Packing diagram of 6 pieces



6 pieces/bundle

Length	Carton Dimension	N.W./CTN	G.W./CTN
2FT	64*22*14cm	12kg	18kg
3FT	94*22*14cm	15kg	21kg
4FT	124*22*14cm	18kg	24kg
5FT	154*22*14cm	24kg	33kg
6FT	184*22*14cm	30kg	39kg

Note: The package can be customized.